

Roads and Traffic Authority

Pacific Highway Upgrade -
Oxley Highway to Kempsey
Flora and Fauna Working Paper

September 2010

GHD Pty Ltd
ABN 39 008 488 373
Level 3, GHD Tower
24 Honeysuckle Drive
NEWCASTLE NSW 2300
Phone: +61 2 4979 9999
Fax: +61 2 4979 9988
Email: ntlmail@ghd.com

8. References

- Adam, P, Urwin, N, Weiner, P & Sim, I 1985, *Coastal wetlands of New South Wales: A survey and report prepared for the Coastal Council of New South Wales*, Coastal Council of NSW, Sydney.
- Allen, GR, Midgely SH & Allen, M 2003, *Freshwater Fishes of Australia*, TFH Publications, Brookvale, NSW.
- AMBS 1995, *Fauna Impact Statement for Gloucester and Chichester Management Areas*, Report prepared for State Forests of NSW by Australian Museum Business Services (AMBS).
- AMBS 1997, *Fauna usage of three underpasses beneath the F3 Freeway between Sydney and Newcastle*, Report for NSW Roads and Traffic Authority.
- AMBS 2001, *An Investigation of the use of Road Overpass Structures by Arboreal Marsupials*, Report for New South Wales Roads and Traffic Authority.
- AMBS 2002, *Fauna underpass monitoring, Stage two, Episode five. Bulahdelah to Coolongolook*, Prepared for NSW Roads and Traffic Authority.
- Andrews, A 1990, 'Fragmentation of habitat by roads and utility corridors: a review', *Australian Zoologist* 26: 130-142.
- ANZECC 2000, *Australia and New Zealand Guidelines For Fresh and Marine Water Quality*, Australia and New Zealand Environment and Conservation Council and Agriculture and resource Management Council of Australia and New Zealand, Canberra.
- Ayers, D, Nash S & Baggett K 1996. *Threatened Species of Western New South Wales*. National Parks and Wildlife Service, Hurstville.
- Bali, R 2005, *Discussion paper - Compensating for Edge Effects*, Report for the NSW, Roads and Traffic Authority, Ecosense Consulting.
- Ball, T & Goldingay, R 2008, 'Can wooden poles be used to reconnect habitat for a gliding mammal?' *Landscape and Urban Planning* 87:140–146.
- Barrett, G, Silcocks, A, Barry, S, Cunningham, R and Poulter R 2003, *The New Atlas of Australian Birds*, Royal Australasian Ornithologists Union.
- Bax, D 2006, *Karuah bypass fauna crossing report*, Report for New South Wales Roads and Traffic Authority.
- Biolink 2008, *Area 13 UIA Koala Plan of Management*, Report prepared by Biolink Pty Ltd Ecological Consultants, Uki, NSW, January 2008.
- BIOSIS Research 2004, *Oxley Highway Deviation: Species Impact Statement*, Prepared for the RTA 23 December 2004.
- Bond, A & Jones, D 2008, 'Temporal trends in use of fauna-friendly underpasses and overpasses', *Wildlife Research* 35: 103–112.
- Briggs JD and Leigh JH 1995, *Rare or Threatened Australian Plants*, CSIRO Publishing, Melbourne.
- Churchill, S 1998, *Australian Bats*, Reed New Holland, Sydney.

- Clancy, GP 1991, *The Biology and Management of the Osprey (Pandion haliaetus) in New South Wales*, National Parkes and Wildlife Service, Sydney.
- Cogger, HG 1992, *Reptiles and Amphibians of Australia*, Reed Books, Sydney.
- Connell Wagner 2000, *Draft Koala Plan of Management Coastal Area. Part A*, Hastings Council. December 2000.
- Debus, SJS & Chafer, CJ 1994, 'The Powerful Owl Ninox strenua in New South Wales', in *Aust. Birds* 28 supplement pp. 21 - 39.
- Department of Environment and Climate Change (DECC) 2007, *DECC Atlas of NSW Wildlife Database*.
- Department of Environment and Climate Change (DECC), *DECC threatened species profiles*, <http://threatenedspecies.environment.nsw.gov.au/tsprofile/index.aspx>
- Department of Environment and Climate Change (DECC) 2008, *NSW Threatened Species Information – Scented Acronychia*.
- Department of Environment, Climate Change and Water 2009. *Draft Northern Rivers Regional Biodiversity Management Plan, National Recovery Plan for the Northern Rivers*, DECCW NSW Sydney.
- Department of Environment and Conservation (DEC) & Department of Primary Industries (DPI), 2005, *Draft Guidelines for Threatened Species Assessment*. NSW Department of Environment and Conservation and Department of Primary Industries.
- Department of Environment and Conservation (DEC) 2004, *Threatened Biodiversity Survey and Assessment: Guidelines for Developments and Activities*, Working Draft, NSW Department of Environment and Conservation.
- Department of Environment and Conservation (DEC) 2006 Recovery Plans for the Large Forest Owls: Powerful Owl, Sooty Owl, Masked Owl, NSW Department of Environment and Conservation, October 2006.
- Department of Environment and Heritage (DEH) 2004, Tiger quoll (southeastern mainland population) and the use of 1080: EPBC Act policy statement 3.4 Nationally threatened species and ecological communities guidelines Department of the Environment and Heritage, May 2004.
- Department of Environment and Heritage (DEH) 2006, Significance Impact Guidelines 1.1- Matters of National Environmental Significance.
- Department of Environment, Water, Heritage and the Arts (DEWHA) 2007, *Agreement between the Commonwealth of Australia and the State of New South Wales Relating to environmental impact assessment*, Department of the Environment and Water Resources, 18 January 2007.
- Department of Environment, Water, Heritage and Arts (DEWHA) 2007, *Protected Matters Search Tool- Matters of National Environmental Significance*.
- Department of Environment, Water, Heritage and Arts (DEWHA) 2009, *Draft Northern Rivers Regional Biodiversity Management Plan, National Recovery Plan for the Northern Rivers*, Canberra.

- Department of Industry and Investment (DII) 2010, *Mapping the estuarine habitats of NSW*. Mapping available online <http://www.dpi.nsw.gov.au/research/areas/systems-research/aquatic-ecosystems/estuarine-habitats-maps> (date accessed 5 January 2010).
- Department of Land and Water Conservation (DLWC) 2002, *The NSW State groundwater dependent ecosystems policy*, NSW Department of Land and Water Conservation, Sydney
- Department of Primary Industries (DPI) 1999, *Policy and Guidelines for Aquatic Habitat Management and Fish Conservation*.
- Department of Primary Industries (DPI) 2003, *Policy and Guidelines for Fish Friendly Waterway Crossings*.
- Department of Primary Industries (DPI) 2005, *Oxleyan Pygmy Perch Recovery Plan*, prepared for the NSW Department of Primary Industries, Fisheries Management Branch, Nelson Bay.
- Dwyer, PD 1995, 'Common Bent-wing Bat', in Strahan, R (ed.), *The Australian Museum Complete Book of Australian Mammals*, Angus & Robertson, Sydney.
- Eamus, D 2009, *Identifying groundwater dependent ecosystems. A guide for land and water managers*. Report prepared for Land and Water Australia.
- Eamus, D, Froend, R, Loomes, R, Hose, G and Murray, B 2006, 'A functional methodology for determining the groundwater regime needed to maintain the health of groundwater-dependent vegetation', *Australian Journal of Botany*, vol. 54, pp. 97-114.
- Ecotone Ecological Consultants 2007, *Pacific Highway Upgrade- Oxley Highway to Kempsey. Advanced Terrestrial Flora and Fauna Report for the Preferred Route*, Report prepared for GHD on behalf of NSW Roads and Traffic Authority, June 2007.
- Ecotone Ecological Consultants 2006a, *Preliminary Terrestrial Flora and Fauna Assessment for the Proposed Pacific Highway Upgrade from Oxley Highway to Kempsey – Advanced Investigations*, Prepared for GHD Newcastle Pty Ltd on behalf of Roads and Traffic Authority.
- Ecotone Ecological Consultants 2006b, *Flora and Fauna Assessment Maria River Northbound Bridge Replacement, Pacific Highway, Kempsey*. Prepared for Roads and Traffic Authority.
- Edgar, R & Belcher, C 1995, 'Spotted-tailed Quoll', pp. 67 - 69 in *The Mammals of Australia*. ed. R. Strahan, Australian Museum and Reed, Sydney.
- Environment Australia 2000, *EPBC Administrative Guidelines on Significance*, Department of Environment and Heritage, Canberra.
- Fairfull, S and Witheridge, G 2003, *Why do Fish Need to Cross the Road? Fish Passage Requirements for Waterway Crossings*. Prepared for NSW Fisheries, Cronulla, Sydney.
- Falk, NW, Graves, HB & Bellis, ED 1978, 'Highway right-of-way fences as deer deterrents', *Journal of Wildlife Management* 42:646-650.
- Fitzgerald, M 2006, *Survey for the Giant Barred Frog Mixophyes iteratus at Maria River New South Wales*, Report prepared for Ecotone Ecological Consultants by Mark Fitzgerald Ecological Consultant (17/05/2006), Mullumbimby, NSW.
- Fitzgerald, M, Shine, R, Lemckert, F & Towerton, A 2005, 'Habitat requirements of the threatened snake species Hoplocephalus stephensii (Elapidae) in eastern Australia', *Austral Ecology* 30: 465-474.

- Forman, RTT, Sperling, D, Bissonette, JA, Clevenger, AP, Cutshall, CD, Dale, VH, Fahrig, L, France, RL, Goldman, CR, Heanue, K, Jones, J, Swanson, F, Turrentine, T and Winter, TC 2003, *Road ecology: science and solutions*, Island Press, Washington.
- Foster, ML & Humphrey, SR 1995, 'Use of highway underpasses by Florida panthers and other wildlife', *Wildlife Society Bulletin* 23: 95-100.
- Fox, BJ 1983, 'Eastern Chestnut Mouse *Pseudomys gracilicaudatus*', pp 400-401, in R. Strahan (ed.) *The Australian Museum Complete Book Of Australian Mammals*, Angus and Robertson, Sydney.
- Garnett, S & Crowley, GM 2000, *The Action Plan for Australian Birds*, Published by Environment Australia. Canberra, ACT.
- GHD 2007a, *Oxley Highway to Kempsey: Addendum to OHK Pacific Highway Upgrade Project – Advanced Terrestrial Flora and Fauna Report*, Report prepared on behalf of RTA, December 2007.
- GHD 2007b, *Pacific Highway Upgrade – Oxley Highway to Kempsey: Preferred Route Aquatic Ecology Report*. Report prepared on behalf of RTA, July 2007.
- GHD 2010, *Oxley Highway to Kempsey Upgrading the Pacific Highway Environmental Assessment*. Report prepared on behalf of RTA, September 2010.
- Glista, DJ, DeVault, TL & DeWoody, AJ 2009, 'A review of mitigation measures for reducing wildlife mortality on roadways'. *Landscape and Urban Planning* 91: 1-7.
- Goosem, M, Weston, N & Bushnell, S 2006, 'Effectiveness of Rope Bridge Arboreal Overpasses and Faunal Underpasses in providing connectivity for rainforest fauna', in *Proceedings of the 2005 International Conference on Ecology and Transportation*, Eds. Irwin, CL., Garrett, P, McDermott, KP, Center for Transportation and the Environment, North Carolina State University, Raleigh, NC: pp. 304-316.
- Hatton, T & Evans, R 1998, *Dependence of ecosystems on groundwater and its significance to Australia*, LWRRDC Occasional Paper No. 12/98.
- Hobby, AJ, & Minstrell, ML 2008, 'Distribution and abundance of roadkill on Tasmanian highways: human management options'. *Wildlife Research* 35: 712-726.
- HWR Ecological 2005a, *Advanced Aquatic Ecological Assessment Report- Floodplain Investigation. Pacific Highway Upgrade- Oxley Highway to Kempsey*. Report to Roads and Traffic Authority.
- HWR Ecological 2005b, *Pacific Highway upgrade, Oxley Highway to Kempsey - preliminary aquatic flora and fauna assessment report*, Report to Roads and Traffic Authority, May 2005.
- HWR Ecological 2006, 'Aquatic Flora and Fauna Assessment - Working Paper', *Proposed Pacific Highway Upgrade – Oxley Highway to Kempsey*, Report to GHD Pty Ltd on behalf of Roads and Traffic Authority.
- Ingram GJ & MacDonald KR 1993, 'An Update on the Decline of Queensland's Frogs', pp. 297 - 303 in *Herpetology in Australia - A Diverse Discipline*. ed. D. Lunney & D. Ayers. Transactions of the Royal Zoological Society of New South Wales.
- Jackson, SM 1999, 'Glide angle in the genus *Petaurus* and a review of gliding in mammals', *Mammalian Review* 30: 9-30.

- Johnston, PG 1995, 'Long-nosed Potoroo', pp. 301 – 302, in *The Mammals of Australia*, ed. R Strahan, Australian Museum and Reed, Sydney.
- Kavanagh, RP & Murray, M 1996, 'Home range, habitat and behaviour of the Masked Owl *Tyto novaehollandiae* near Newcastle, New South Wales' in *Emu* 96., pp. 250 - 257.
- Keith, D 2004, *Ocean shores to desert dunes: the native vegetation of New South Wales and the ACT*, NSW Department of Environment and Conservation, Hurstville.
- Klippel, K 1992, *Wildlife Data Search - threatened animal species of New South Wales*, Total Environment Centre, Sydney.
- Knight, JT 2000, *Distribution, populations structure and habitat preferences of the Oxleyan pygmy perch *Nannoperca oxleyana* (Whitley 1940) near Evans Head, northeastern New South Wales*, Hons. Thesis, Southern Cross University, Lismore, Unpublished.
- Koehn, J & Nicol, S 1998, 'Habitat and movement requirements of fish', pp. 1-6 in: Banens, RJ and Lehane, R (eds.) 1996 Riverine Environment Research Forum. *Proceedings of the inaugural Riverine Environment Research Forum, Brisbane, October 1996*. Murray-Darling Basin Commission: Canberra.
- Laurance, WF, Nascimento, HEM, Laurance, SG, Andrade, A, Ewers, RM, Harms, KE, Luizao, RCC & Ribeiro, JE 2007, 'Habitat Fragmentation, Variable Edge Effects, and the Landscape-Divergence Hypothesis', *PLoS ONE* 2(10): e1017.
- Mallen-Cooper, M 2000, 'Taking the mystery out of migration', in: Hancock, DA, Smith, DC and Koehn, JD (eds), *Fish Movement and Migration. Workshop Proceedings, Bendigo, Victoria, September 1999*, Australian Society for Fish Biology, Sydney. Pp. 101-112.
- Mata, C, Hervas, I, Herranz, J, Suarez, F & Malo, J 2008, 'Are motorway wildlife passages worth building? Vertebrate use of road-crossing structures on a Spanish motorway', *Journal of Environmental Management* 88: 407–415.
- McDowall, RM (ed.) 1996, *Freshwater Fishes of South-Eastern Australia*, revised edn, Reed, Sydney.
- Menkhorst, PW 1995, 'Large Footed Myotis- *Myotis adversus*', pp 182-183 in *Mammals of Victoria*, Oxford University Press, Melbourne.
- Morcombe M 2000, *Field Guide to Australian Birds*, Steve Parish Publishing, Archerfield, QLD.
- National Parks and Wildlife Service (NPWS) 1999. *Forest ecosystem classification and mapping for the upper and lower north east Comprehensive Regional Assessment*, NSW National Parks and Wildlife Service, Coffs Harbour, NSW.
- National Parks and Wildlife Service (NPWS) 2000. *Threatened Species of the Lower North Coast of New South Wales*. NPWS, Sydney.
- National Parks and Wildlife Service (NPWS) 2001, *Hygiene protocol for the control of disease in frogs*, Information Circular Number 6. NSW National Parks and Wildlife Service, Hurstville NSW.
- NSW National Parks and Wildlife Service (NPWS) 2002. *Threatened Species of the Upper North Coast of NSW: Fauna*. NSW NPWS, Coffs Harbour, NSW.
- National Parks and Wildlife Service (NPWS) 2003a, *Cooperabung Creek Nature Reserve – Plan of Management*, NSW National Parks and Wildlife Service.

- National Parks and Wildlife Service (NPWS) 2003b, *Draft Recovery Plan for the Barking Owl*, New South Wales National Parks and Wildlife Service, Hurstville, NSW.
- National Parks and Wildlife Service (NPWS) 2003c, *Draft Recovery Plan for the Koala*, NSW National Parks and Wildlife Service, Hurstville, NSW.
- National Parks and Wildlife Service (NPWS) 2003d, *Recovery Plan for the Yellow-bellied Glider (Petaurus australis)*, NSW National Parks and Wildlife Service, Hurstville.
- National Parks and Wildlife Service (NPWS) 2004, *Rawdon Creek Nature Reserve – Plan of Management*, NSW National Parks and Wildlife Service.
- National Parks and Wildlife Service (NPWS) 2005, 'Key habitats and corridors in north east NSW', National Parks and Wildlife Service, <http://maps.nationalparks.nsw.gov.au/keyhabs/default.htm>.
- NSW Fisheries 2002, *Fishfacts, threatened species in New South Wales - Oxleyan Pygmy Perch. Fishfacts NSW108*. NSW Fisheries, Sydney.
- NSW Scientific Committee 2004a, 'Final Determination – Swamp Oak Floodplain Forest', *Endangered Ecological Community Determination- final*, Department of Environment and Conservation, Sydney.
- NSW Scientific Committee 2004b, 'Final Determination – Subtropical Coastal Floodplain Forest of the NSW North Coast bioregion', *Endangered Ecological Community Determination – final*, Department of Environment and Conservation, Sydney.
- NSW Scientific Committee 2004c, 'Final Determination - Swamp Sclerophyll Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner Bioregions', *Endangered Ecological Community Determination – final*, Department of Conservation, Sydney.
- NSW Scientific Committee 2004d, 'Final Determination – Freshwater Wetlands on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner Bioregions', *Endangered Ecological Community Determination – final*, Department of Conservation, Sydney.
- NSW Scientific Committee 2004e, 'Final Determination – Black-necked Stork', *Endangered Species Listing*, Department of Environment and Conservation, Sydney.
- O’Gara, E, Howard, K, Wilson B & GE StJ Hardy 2005, *Management of Phytophthora cinnamomi for Biodiversity Conservation in Australia: Part 2 National Best Practice Guidelines*, A report funded by the Commonwealth Government Department of the Environment and Heritage by the Centre for Phytophthora Science and Management, Murdoch University, Western Australia.
- Parsons Brinckerhoff (PB) 2008, *Kempsey to Eungai : upgrading the Pacific Highway : submissions report*, prepared for the Roads and Traffic Authority.
- Phillips, WR 1990, *Koalas - the little Australians we would all hate to lose*, National Parks and Wildlife Service, Canberra.
- Port Stephens Council 2002. *Comprehensive Koala Plan of Management*. Prepared by Port Stephens Council with the Australian Koala Foundation, June 2002.
- Pyke, GH & Osborne, WS 1996, 'The Green and Golden Bell Frog (Litoria aurea): biology and conservation', *Aust Zool.*, 30(2).

- Quin, DG 1995, 'Population Ecology of the Squirrel Glider (Petaurus norfolcensis) and Sugar Glider (P. breviceps) (Marsupalia : Petauridae) at Limeburners Creek, on the Central North Coast of New South Wales' in *Wildl. Res.* 22., pp. 471 - 505.
- Readers Digest 1979, *Readers Digest Complete Book of Australian Birds*, Readers Digest Services Pty Ltd, Sydney.
- Regent Honeyeater Recovery Team 1999, *Regent Honeyeater (Xanthomyza phrygia) Recovery Plan 1999-2003*, Department of Natural Resources and Environment.
- Robinson, M 1993, *A Field Guide to Frogs of Australia: from Port Augusta to Fraser Island including Tasmania*, Australian Museum/Reed New Holland, Chatswood.
- Rowland, SJ 1996, 'Threatened fishes of the world: Maccullochella ikei Rowland, 1985 (Percichthyidae)', *Environmental Biology of Fishes* 46:350.
- Russell, R 1995, 'Yellow-bellied Glider Petaurus australis', pp. 226-228. in R. Strahan (ed.), *The Mammals of Australia*, Australian Museum and Reed Books, Sydney.
- Russell, TC, Herbert, CA & Kohen JL 2009. 'High possum mortality on urban roads: implications for the population viability of the common brushtail possum and the common ringtail possum'. *Australian Journal of Zoology* 57: 391-397.
- Sattler, P & Creighton, L 2000, *Australian Terrestrial Biodiversity Assessment*, National Land and Water Resources Audit 2002, Australian Government.
- Schulz, M 1997, 'The Little Bent-wing Bat Miniopterus australis roosting in a tree hollow', *Aust. Zool.* 30(3)., pg. 329.
- Schulz, M 2000, 'Diet and Foraging Behaviour of the Golden-tipped Bat, Kerivoula papuensis: a Spider Specialist?', *Journal of Mammalogy* 81 (4): 948-957.
- Scotts, D 2003, *Key Habitats and Corridors for Forest Fauna: A Landscape Framework for Conservation in North-east New South Wales*, NSW NPWS. Occasional Paper 32, NSW National Parks and Wildlife Service, Sydney.
- Seebeck, JH 1996, 'Long-nosed Potoroo', pp. 131 - 133 in *Mammals of Victoria - distribution, ecology and conservation* by Menkhorst, PW (ed.), Oxford University Press, Melbourne.
- Selonen, V & Hanski, IK 2003, 'Movements of the flying squirrel Pteromys volans in corridors and in matrix habitat', *Ecography* 26: 641-651.
- Simpson, K & Day, N 2003, *The Claremont Field Guide to the Birds of Australia*, Penguin Books Australia.
- Sinclair Knight Merz 2001, *Environmental Water Requirements of Groundwater Dependent Ecosystems Environmental Flows Initiative Technical Report Number 2*, Commonwealth of Australia, Canberra.
- Singer, FJ & Doherty, JL 1985, 'Managing mountain goats at a highway crossing', *Wildlife Society Bulletin* 13: 469-477.
- Smith, AK, Holliday, JE & Pollard, DA 1997, 'Management of Seagrasses habitats in NSW estuaries', *Wetlands (Australia)* 16(2), 48-55.
- Soderquist, TR, Lowe, KW, Loyn, RH & Price, R 2002, 'Habitat quality in Powerful Owl (Ninox strenua) territories in the Box-Ironbark forest of Victoria, Australia', in Newton, I, Kavanagh,

- R, Olsen J & Taylor, I (eds) *Ecology and Conservation of Owls*, CSIRO Publishing, Collingwood.
- Strahan, R 1995, *The Mammals of Australia*, Reed Books and Australian Museum, Sydney.
- Swift Parrot Recovery Team 2001, *Swift Parrot (Lathamus discolor) Recovery Plan 2001-2005*, Tasmanian Department of Primary Industries, Water and Environment.
- Taylor, BD & Goldingay, RL 2009. 'Can road-crossing structures improve population viability of an urban gliding mammal?'. *Ecology and Society* 14(2): 13-32.
- Thackway, R & Cresswell, ID (Eds.) 1995, *An Interim Biogeographic Regionalisation for Australia*, ANCA Canberra.
- Trall, BJ & Coates, TD 1993, 'Field observations of the Brush-tailed Phascogale Phascogale tapoatafa (Marsupalia : Dasyuridae)' in *Aust. Mamm.* 16., pp. 61 - 65.
- Van der Ree, R, Bennett, AF & Gilmore, DC 2003, 'Gap-crossing by gliding marsupials: thresholds for use of isolated woodland patches in an agricultural landscape', *Biological Conservation* 115: 241-249.
- West, RJ, Thorogood, CA, Walford, TR & Williams, RJ 1985, 'An estuarine inventory for New South Wales', *Fisheries Bulletin* 2. NSW Department of Agriculture, Sydney.
- White, A 1994, *Frog Survey - Gloucester and Chichester Management Areas Environmental Impact Statement* Supporting Document No. 7, Report prepared for SFNSW (Central Region).
- Williams, CR 1990, 'Possums and Gliders', pp. 97-108 in *The Care and Handling of Australian Native Animals by Hand*, Royal Zoological Society and Surrey Beatty & Sons, Sydney.
- Woodside, DP 1995. Golden-tipped Bat *Kerivoula papuensis*. Pp. 490-1 in Strahan, R. (ed.) *The Mammals of Australia*. Reed Books, Sydney.
- Worley Parsons 2010, *Pacific Highway Upgrade - OHK, Updated Preliminary Hydrology and Hydraulics Report For Concept Design*, Final.
- Yanes, M, Velasco, JM & Suarez, F 1995, 'Permeability of roads and railways to vertebrates: the importance of culverts', *Biological Conservation* 71: 217-222.