



Australian Government



Transport
Roads & Maritime
Services



Pacific Highway Upgrade: Woolgoolga to Ballina

Submissions / Preferred Infrastructure Report

Main Report


NOVEMBER 2013

NSW Roads and Maritime Services

WOOLGOOLGA TO BALLINA | PACIFIC HIGHWAY UPGRADE SUBMISSIONS / PREFERRED INFRASTRUCTURE REPORT

Contents

November 2013



Contents

| | |
|---|------------|
| Executive summary | |
| 1. Introduction and background..... | 1-1 |
| 1.1 The project | 1-1 |
| 1.1.1 Project overview | 1-1 |
| 1.1.2 Project features..... | 1-1 |
| 1.2 Statutory context..... | 1-4 |
| 1.3 Environmental impact statement exhibition..... | 1-4 |
| 1.3.1 Exhibition support and activities | 1-5 |
| 1.3.2 Stakeholder and community meetings to support exhibition period | 1-7 |
| 1.3.3 Community information sessions and staffed displays | 1-8 |
| 1.4 Purpose and content of the document | 1-9 |
| 2. Response to issues..... | 2-1 |
| 2.1 Respondents | 2-1 |
| 2.2 Overview of issues raised | 2-1 |
| 2.2.1 Government agencies and local councils | 2-2 |
| 2.2.2 Community | 2-6 |
| 2.3 EIS content..... | 2-7 |
| 2.3.1 Clarifications..... | 2-7 |
| 2.4 Assessment process | 2-8 |
| 2.5 Need and justification | 2-9 |
| 2.5.1 Ecological sustainability, cost and value for money..... | 2-9 |
| 2.5.2 Road safety and traffic volumes | 2-12 |
| 2.5.3 Project objectives and justification | 2-14 |
| 2.6 Alternatives considered and route development | 2-16 |
| 2.6.1 Route option chosen between Glenugie to Maclean | 2-16 |
| 2.6.2 Woodburn to Ballina route options..... | 2-26 |
| 2.6.3 Options assessment..... | 2-32 |
| 2.7 The project | 2-37 |
| 2.7.1 Project route alignment..... | 2-37 |
| 2.7.2 Rest areas and service centres | 2-38 |
| 2.7.3 Interchanges | 2-39 |
| 2.7.4 Bridges..... | 2-40 |
| 2.7.5 Road fencing | 2-41 |
| 2.7.6 Project cost | 2-42 |
| 2.7.7 Service roads | 2-44 |
| 2.7.8 Utilities | 2-45 |
| 2.8 Construction of the project | 2-46 |
| 2.8.1 Extended construction hours | 2-46 |

| | | |
|---------|--|-------|
| 2.8.2 | Construction of the project | 2-47 |
| 2.9 | Consultation | 2-50 |
| 2.10 | Hydrology and flooding | 2-52 |
| 2.10.1 | Effect on waterways | 2-52 |
| 2.10.2 | Operational flooding impacts - velocity | 2-53 |
| 2.10.3 | Operational flooding impacts – afflux and inundation | 2-54 |
| 2.10.4 | Operational flooding impacts - duration | 2-58 |
| 2.10.5 | Flooding and hydrology assessment method | 2-59 |
| 2.10.6 | Surface water drainage | 2-62 |
| 2.10.7 | Climate change and hydrology | 2-64 |
| 2.10.8 | Flood management | 2-65 |
| 2.10.9 | Flood management objectives | 2-70 |
| 2.10.10 | Flood evacuation and access | 2-71 |
| 2.10.11 | Blackadder Creek safety works | 2-72 |
| 2.11 | Soils sediment and water | 2-73 |
| 2.11.1 | Construction impacts | 2-73 |
| 2.11.2 | Pollution of waterways | 2-75 |
| 2.11.3 | Groundwater impacts | 2-76 |
| 2.11.4 | Water quality controls | 2-78 |
| 2.12 | Biodiversity | 2-79 |
| 2.12.1 | Loss of vegetation | 2-79 |
| 2.12.2 | Fauna connectivity | 2-82 |
| 2.12.3 | Impacts to coastal emu | 2-88 |
| 2.12.4 | Impacts to fauna and habitat | 2-95 |
| 2.12.5 | Impacts on aquatic habitat | 2-98 |
| 2.12.6 | Impacts to flora species and communities | 2-99 |
| 2.12.7 | Biodiversity offset package | 2-101 |
| 2.12.8 | Ecological management measures | 2-105 |
| 2.12.9 | Assessment process | 2-110 |
| 2.12.10 | Weed management | 2-127 |
| 2.13 | Visual amenity, urban design and landscaping | 2-128 |
| 2.13.1 | Landscaping | 2-128 |
| 2.13.2 | Visual impact | 2-129 |
| 2.14 | Aboriginal heritage | 2-130 |
| 2.14.1 | Impacts to Aboriginal heritage | 2-130 |
| 2.15 | Non-Aboriginal heritage | 2-133 |
| 2.15.1 | Impacts to historic heritage | 2-133 |
| 2.16 | Traffic and transport | 2-136 |
| 2.16.1 | Public transport, pedestrian and cyclists | 2-136 |
| 2.16.2 | Road safety | 2-138 |
| 2.16.3 | Travel times | 2-140 |
| 2.16.4 | Traffic volumes | 2-140 |
| 2.16.5 | Local and regional access | 2-141 |
| 2.17 | Noise and vibration | 2-145 |

| | | |
|-----------|--|------------|
| 2.17.1 | Construction noise | 2-145 |
| 2.17.2 | Existing noise | 2-147 |
| 2.17.3 | Noise assessment..... | 2-148 |
| 2.17.4 | Operational noise..... | 2-149 |
| 2.17.5 | Noise mitigation | 2-150 |
| 2.17.6 | Vibration | 2-152 |
| 2.18 | Land use and property..... | 2-154 |
| 2.18.1 | Land use | 2-154 |
| 2.18.2 | Property access..... | 2-157 |
| 2.18.3 | Property acquisition..... | 2-158 |
| 2.18.4 | Property impact..... | 2-160 |
| 2.18.5 | Property values | 2-162 |
| 2.18.6 | Agricultural impacts..... | 2-162 |
| 2.19 | Social and economic | 2-164 |
| 2.19.1 | Assessment process | 2-164 |
| 2.19.2 | Amenity | 2-165 |
| 2.19.3 | Business and economic impacts | 2-167 |
| 2.19.4 | Tourism impacts | 2-171 |
| 2.20 | Other issues..... | 2-171 |
| 2.20.1 | Air quality | 2-171 |
| 2.20.2 | Greenhouse gases | 2-172 |
| 2.20.3 | Hazard and risk..... | 2-174 |
| 2.20.4 | Management measures | 2-174 |
| 2.21 | Miscellaneous..... | 2-175 |
| 2.21.1 | Peak oil | 2-175 |
| 2.22 | Support for the project | 2-176 |
| 2.22.1 | Support | 2-176 |
| 3. | Additional assessment | 3-1 |
| 3.1 | Introduction | 3-1 |
| 3.2 | Supplementary biodiversity assessment..... | 3-1 |
| 3.2.1 | Background | 3-1 |
| 3.2.2 | Scope | 3-2 |
| 3.2.3 | Survey findings | 3-6 |
| 3.2.4 | Impact assessment | 3-15 |
| 3.2.5 | Recommendations and management measures | 3-42 |
| 3.3 | Supplementary hydrology assessments | 3-48 |
| 3.3.1 | Background | 3-48 |
| 3.3.2 | Corindi River flood impact re-assessment..... | 3-48 |
| 3.3.3 | Assessment of debris blockage in January 2013 flood event..... | 3-50 |
| 3.3.4 | Clarence River flood model verification of January 2013 flood event..... | 3-51 |
| 3.3.5 | Shark Creek cane drain network | 3-52 |
| 3.3.6 | James Creek drainage network | 3-53 |
| 3.3.7 | Modelling of Peak Maximum Flood (PMF) event | 3-53 |
| 3.3.8 | Justification for nominated afflux levels | 3-54 |

| | | |
|-------------|--|-------------|
| 3.3.9 | Cumulative hydrological impacts of the Woolgoolga to Ballina Pacific Highway section | 3-56 |
| 3.4 | Review of groundwater data..... | 3-57 |
| 3.4.1 | Background | 3-57 |
| 3.4.2 | Methodology | 3-57 |
| 3.4.3 | Revised assessment | 3-58 |
| 3.4.4 | Management measures | 3-58 |
| 3.5 | Cane farm strategy..... | 3-62 |
| 3.5.1 | Strategy aims | 3-62 |
| 3.5.2 | Scope | 3-62 |
| 3.5.3 | Issues to be considered..... | 3-62 |
| 3.5.4 | Cane strategy principles | 3-64 |
| 3.5.5 | Strategy implementation..... | 3-66 |
| 3.6 | Fencing strategy | 3-66 |
| 3.6.1 | Strategy aims | 3-66 |
| 3.6.2 | Scope | 3-66 |
| 3.6.3 | Issues to be considered..... | 3-66 |
| 3.6.4 | Fencing strategy principles | 3-67 |
| 3.6.5 | Strategy implementation..... | 3-68 |
| 3.7 | Water quality monitoring strategy..... | 3-68 |
| 3.7.1 | Strategy aims | 3-68 |
| 3.7.2 | Scope | 3-68 |
| 3.7.3 | Surface and groundwater parameters..... | 3-69 |
| 3.7.4 | Sampling regime | 3-74 |
| 3.7.5 | Strategy implementation | 3-75 |
| 3.8 | Proposed extension to construction hours | 3-76 |
| 3.8.1 | Proposed work hours | 3-76 |
| 3.8.2 | Preliminary consultation feedback | 3-77 |
| 3.8.3 | Management measures | 3-79 |
| 3.9 | Management of surplus material..... | 3-80 |
| 3.9.1 | Background | 3-80 |
| 3.9.2 | Material management..... | 3-81 |
| 3.9.3 | Key surplus material sites..... | 3-81 |
| 3.9.4 | Management measures | 3-91 |
| 3.10 | Rest area strategy review | 3-92 |
| 3.11 | Potential future service centre | 3-95 |
| 3.12 | Ancillary facilities assessment | 3-97 |
| 3.12.1 | Consultation | 3-97 |
| 3.12.2 | Assessment against standard conditions of approval | 3-97 |
| 3.12.3 | Approach to assessment | 3-109 |
| 3.12.4 | Aboriginal heritage | 3-109 |
| 3.12.5 | Historical (non-Aboriginal) heritage..... | 3-125 |
| 3.12.6 | Biodiversity | 3-129 |
| 3.12.7 | Summary of ancillary facility sites..... | 3-145 |

| | |
|---|------------|
| 4. Preferred infrastructure report | 4-1 |
| 4.1 Summary of design refinements | 4-1 |
| 4.2 Scope of design refinement assessment | 4-8 |
| 4.2.1 Assessment process | 4-8 |
| 4.2.2 Additional investigations | 4-8 |
| 4.3 Overview of impacts on Commonwealth and State listed threatened species and communities | 4-9 |
| 4.4 Main design refinements | 4-10 |
| 4.4.1 Interchange layout at Range Road, Corindi | 4-10 |
| 4.4.2 Access at Lemon Tree Road, Halfway Creek | 4-23 |
| 4.4.3 Access at Luthers Road, Halfway Creek | 4-28 |
| 4.4.4 Realignment at Firth Heinz Road, Tucabia | 4-34 |
| 4.4.5 Relocation of rest area at Pine Brush | 4-45 |
| 4.4.6 Realignment at Crowley's Road, Tyndale | 4-56 |
| 4.4.7 Overpass at McIntyres Lane, Gulmarrad | 4-64 |
| 4.4.8 Interchange layout at Maclean | 4-71 |
| 4.4.9 Formalisation of Koala Drive, Townsend | 4-82 |
| 4.4.10 Cycle access at the interchange at Yamba Road, James Creek | 4-87 |
| 4.4.11 Access at Carrols Lane, Chatsworth Island | 4-92 |
| 4.4.12 Cutting at Mororo Road, Mororo | 4-101 |
| 4.4.13 Access at Swan Bay New Italy Road, New Italy | 4-107 |
| 4.4.14 Borrow site at Lang Hill, north of Woodburn | 4-113 |
| 4.4.15 Relocation of rest area north of Richmond River | 4-125 |
| 4.4.16 Borrow sites, north of the Richmond River | 4-136 |
| 4.4.17 Borrow site west of Wardell (Lumleys Hill) | 4-144 |
| 4.4.18 Interchange layout at Wardell | 4-152 |
| 4.4.19 Ancillary facilities for construction | 4-180 |
| 4.5 Minor design refinements | 4-239 |
| 5. Revised environmental management measures | 5-1 |
| 6. References | 6-1 |
| 6.1 Chapter 1 | 6-1 |
| 6.2 Chapter 2 | 6-1 |
| 6.3 Chapter 3 | 6-3 |
| 6.4 Chapter 4 | 6-4 |
| 6.5 Chapter 5 | 6-5 |

Appendices

- Appendix A: List of respondents
- Appendix B: Clarifications to the Environmental Impact Statement
- Appendix C: Supplementary hydrology assessment
- Appendix D: Ancillary facilities and design changes Aboriginal Cultural Heritage Assessment and Addendum Aboriginal Cultural Heritage Assessment
- Appendix E: Historic heritage - Statements of Heritage Impact and site descriptions
- Appendix F: Revised operational noise assessment
- Appendix G: Lang Hill Environmental Management Work Statement
- Appendix H: Changes made to mitigation and management measures in the EIS
- Appendix I: Comparative assessment of alternative route options
- Appendix J: Supplementary biodiversity assessment
- Appendix K: Threatened species management plans

Figure list

| | |
|---|------|
| Figure 1-1: Location of the project..... | 1-2 |
| Figure 1-2: Project overview | 1-3 |
| Figure 2-1: Wells Crossing to Iluka Road route options | 2-18 |
| Figure 2-2: Wells Crossing to Iluka Road preferred route..... | 2-23 |
| Figure 2-3: Woodburn to Ballina route options | 2-28 |
| Figure 3-1: Lowland Rainforest patches – Section 1..... | 3-7 |
| Figure 3-2: Lowland Rainforest patches – Section 3..... | 3-8 |
| Figure 3-3: Lowland Rainforest patches – Sections 10 and 11 | 3-9 |
| Figure 3-4: Littoral Rainforest patches – Sections 9 to and 11 | 3-10 |
| Figure 3-5: January 2013 Flood gauge comparisons to flood model results (20 year ARI flood event modelled)..... | 3-52 |
| Figure 3-6: Surplus material placement locations (project sections 1-3)..... | 3-85 |
| Figure 3-7: Surplus material placement locations (project section 3) | 3-86 |
| Figure 3-8: Surplus material placement locations (project sections 3-6)..... | 3-87 |
| Figure 3-9: Surplus material placement locations (project sections 7-8)..... | 3-88 |
| Figure 3-10: Surplus material placement locations (project sections 8-11) | 3-89 |
| Figure 4-1: Location of design refinements – Sections 1 to 2..... | 4-3 |
| Figure 4-2: Location of design refinements – Section 3 | 4-4 |
| Figure 4-3: Location of design refinements – Sections 4 to 6..... | 4-5 |
| Figure 4-4: Location of design refinements – Section 7 and 8 | 4-6 |
| Figure 4-5: Location of design refinements – Sections 8 to 11 | 4-7 |
| Figure 4-6: Overview of revised design of interchange at Range Road..... | 4-11 |
| Figure 4-7: Interchange at Range Road, stations 8.0 to 9.5 | 4-12 |
| Figure 4-8: Interchange at Range Road, stations 9.0 to 10.5 | 4-13 |
| Figure 4-9: Revised design of interchange at Range Road, showing biodiversity features ... | 4-19 |
| Figure 4-10: Revised design, Lemon Tree Road, Halfway Creek | 4-25 |
| Figure 4-11: Revised design at Luthers Road, Halfway Creek | 4-30 |
| Figure 4-12: Revised design at Firth Heinz Road | 4-36 |
| Figure 4-13: Revised design at Firth Heinz Road showing biodiversity features | 4-41 |
| Figure 4-14: Rest area at Pine brush - EIS design | 4-46 |
| Figure 4-15: Rest area at Pine brush - design refinement | 4-47 |
| Figure 4-16: EIS rest area location showing biodiversity features | 4-51 |
| Figure 4-17: Design refinement rest area location showing biodiversity features | 4-52 |
| Figure 4-18: Revised design at Crowley's Road | 4-57 |
| Figure 4-19: Design refinement at Crowley's Road showing biodiversity features | 4-60 |
| Figure 4-20: Revised design at McIntyres Lane | 4-66 |

| | |
|--|-------|
| Figure 4-21: Revised viewpoint at McIntyres Lane (No. 22) | 4-69 |
| Figure 4-22: Revised interchange design at Maclean | 4-73 |
| Figure 4-23: Revised design to the Koala Drive access | 4-83 |
| Figure 4-24: Potential design for cycle access south of Yamba Road | 4-89 |
| Figure 4-25: Revised design at Carrols Lane | 4-94 |
| Figure 4-26: Revised viewpoint 34 at Carrols Lane | 4-97 |
| Figure 4-27: Revised design at Mororo Road..... | 4-102 |
| Figure 4-28: Revised design at Swan Bay New Italy Road | 4-109 |
| Figure 4-29: Revised borrow site at Lang Hill..... | 4-115 |
| Figure 4-30: Receiver locations in proximity to Lang Hill | 4-121 |
| Figure 4-31: Overview of rest areas north of Richmond River | 4-127 |
| Figure 4-32: Rest area north of Richmond River- northbound rest area | 4-128 |
| Figure 4-33: Rest area north of Richmond River- southbound rest area..... | 4-129 |
| Figure 4-34: Rest area north of Richmond River- biodiversity features | 4-131 |
| Figure 4-35: Additional borrow sites | 4-137 |
| Figure 4-36: Revised excavation design at the borrow source west of Wardell..... | 4-146 |
| Figure 4-37: West of Wardell borrow source- noise sensitive receivers..... | 4-150 |
| Figure 4-38: Overview of revised interchange design at Wardell | 4-154 |
| Figure 4-39: Revised interchange at Wardell station 155.5 to 157.5 | 4-155 |
| Figure 4-40: Revised interchange at Wardell station 157.5 to 158.5 | 4-156 |
| Figure 4-41: Revised interchange at Wardell station 158.5 to 159.5 | 4-157 |
| Figure 4-42: Revised interchange at Wardell with biodiversity features station 155.5 to 157.5..... | 4-159 |
| Figure 4-43: Revised interchange at Wardell with biodiversity features station 157.5 to 158.5..... | 4-160 |
| Figure 4-44: Revised interchange at Wardell with biodiversity features station 158.5 to 159.5..... | 4-161 |
| Figure 4-45: Interchange at Wardell sensitive receivers between station 154.5 to 157.0 | 4-170 |
| Figure 4-46: Interchange at Wardell sensitive receivers between station 156.5 to 158.5 | 4-171 |
| Figure 4-47: Ancillary facility locations – Section 1 site 1a | 4-185 |
| Figure 4-48: Ancillary facility locations – Section 1 site 2 | 4-186 |
| Figure 4-49: Ancillary facility locations – Section 1 site 3 | 4-187 |
| Figure 4-50: Ancillary facility locations – Section 1 site 4b | 4-188 |
| Figure 4-51: Ancillary facility locations – Section 2 sites 1a and 1b | 4-189 |
| Figure 4-52: Ancillary facility locations – Section 2 site 4 | 4-190 |
| Figure 4-53: Ancillary facility locations – Section 2 sites 5a and 5b | 4-191 |
| Figure 4-54: Ancillary facility locations – Section 2 site 6 | 4-192 |
| Figure 4-55: Ancillary facility locations – Section 3 site 1 | 4-193 |
| Figure 4-56: Ancillary facility locations – Section 3 site 2 | 4-194 |
| Figure 4-57: Ancillary facility locations – Section 3 sites 3a and 3b | 4-195 |
| Figure 4-58: Ancillary facility locations – Section 3 site 4 | 4-196 |
| Figure 4-59: Ancillary facility locations – Section 3 site 5 | 4-197 |

| | |
|--|-------|
| Figure 4-60: Ancillary facility locations – Section 3 site 6a | 4-198 |
| Figure 4-61: Ancillary facility locations – Section 3 site 6b | 4-199 |
| Figure 4-62: Ancillary facility locations – Section 3 sites 7a and 7b | 4-200 |
| Figure 4-63: Ancillary facility locations – Section 3 site 9 | 4-201 |
| Figure 4-64: Ancillary facility locations – Section 3 site 10 | 4-202 |
| Figure 4-65: Ancillary facility locations – Section 4 site 1 | 4-203 |
| Figure 4-66: Ancillary facility locations – Section 4 site 2 | 4-204 |
| Figure 4-67: Ancillary facility locations – Section 4 site 3 | 4-205 |
| Figure 4-68: Ancillary facility locations – Section 4 site 4a | 4-206 |
| Figure 4-69: Ancillary facility locations – Section 4 site 5 | 4-207 |
| Figure 4-70: Ancillary facility locations – Section 4 site 6 | 4-208 |
| Figure 4-71: Ancillary facility locations – Section 4 sites 7a and 7b | 4-209 |
| Figure 4-72: Ancillary facility locations – Section 5 site 1 | 4-210 |
| Figure 4-73: Ancillary facility locations – Section 5 sites 2a, 2b, 2c and 2d | 4-211 |
| Figure 4-74: Ancillary facility locations – Section 5 sites 3a and 3b | 4-212 |
| Figure 4-75: Ancillary facility locations – Section 5 sites 4a and 4b | 4-213 |
| Figure 4-76: Ancillary facility locations – Section 5 sites 5a, 5b and 5c | 4-214 |
| Figure 4-77: Ancillary facility locations – Section 5 site 6 and Additional site 9 | 4-215 |
| Figure 4-78: Ancillary facility locations – Section 6 site 1 | 4-216 |
| Figure 4-79: Ancillary facility locations – Section 6 site 2 | 4-217 |
| Figure 4-80: Ancillary facility locations – Section 6 site 3a and 3b | 4-218 |
| Figure 4-81: Ancillary facility locations – Section 6 site 4 | 4-219 |
| Figure 4-82: Ancillary facility locations – Section 6 site 5 | 4-220 |
| Figure 4-83: Ancillary facility locations – Section 7 site 1 | 4-221 |
| Figure 4-84: Ancillary facility locations – Section 7 sites 2a and 2b | 4-222 |
| Figure 4-85: Ancillary facility locations – Section 7 site 3 | 4-223 |
| Figure 4-86: Ancillary facility locations – Section 7 site 4 | 4-224 |
| Figure 4-87: Ancillary facility locations – Section 8 site 1 | 4-225 |
| Figure 4-88: Ancillary facility locations – Section 8 sites 2a, 2b and 2c | 4-226 |
| Figure 4-89: Ancillary facility locations – Section 8 site 3 | 4-227 |
| Figure 4-90: Ancillary facility locations – Section 9 site 1 | 4-228 |
| Figure 4-91: Ancillary facility locations – Section 9 site 2 | 4-229 |
| Figure 4-92: Ancillary facility locations – Section 9 site 3 | 4-230 |
| Figure 4-93: Ancillary facility locations – Section 10 site 1a | 4-231 |
| Figure 4-94: Ancillary facility locations – Section 10 site 1b | 4-232 |
| Figure 4-95: Ancillary facility locations – Section 10 site 2 | 4-233 |
| Figure 4-96: Ancillary facility locations – Section 10 sites 3a and 3b..... | 4-234 |
| Figure 4-97: Ancillary facility locations – Section 10 site 4 | 4-235 |
| Figure 4-98: Ancillary facility locations – Section 10 site 5 | 4-236 |

| | |
|---|-------|
| Figure 4-99: Ancillary facility locations – Section 11 sites 1a and 1b..... | 4-237 |
| Figure 4-100: Ancillary facility locations – Section 11 site 2 | 4-238 |

Table list

| | |
|---|------|
| Table 1-1: Locations of DP&I EIS exhibition | 1-5 |
| Table 1-2: Other locations of EIS exhibition..... | 1-6 |
| Table 1-3: Stakeholder and community meetings | 1-7 |
| Table 1-4: Community information sessions | 1-8 |
| Table 1-5: Staffed displays | 1-8 |
| Table 2-1: Issues raised by Ballina Shire Council..... | 2-2 |
| Table 2-2: Issues raised by Clarence Valley Council | 2-2 |
| Table 2-3: Issues raised by Coffs Harbour City Council | 2-2 |
| Table 2-4: Issues raised by Environment Protection Authority / Office of Environment & Heritage | 2-3 |
| Table 2-5: Issues raised by Forestry Corporation of NSW | 2-3 |
| Table 2-6: Issues raised by Heritage Council of New South Wales | 2-3 |
| Table 2-7: Issues raised by NSW Department of Primary Industries (Agriculture, Fisheries and Marine Parks Authority)..... | 2-4 |
| Table 2-8: Issues raised by NSW Department of Trade & Investment Crown Lands | 2-4 |
| Table 2-9: Issues raised by NSW Department of Trade & Investment Resources and Energy | 2-4 |
| Table 2-10: Issues raised by Richmond Valley Council | 2-5 |
| Table 2-11: Issues raised by Rous Water | 2-5 |
| Table 2-12: Issues raised by NSW Office of Water..... | 2-6 |
| Table 3-1 Additional survey effort required to inform project assessment..... | 3-3 |
| Table 3-2 Additional impact assessment required | 3-4 |
| Table 3-3 Mitigation strategy scope of works | 3-5 |
| Table 3-4 Results of vegetation communities ground truthing | 3-11 |
| Table 3-5 Results of supplementary surveys for rainforest plant species | 3-12 |
| Table 3-6 Results of supplementary targeted flora surveys | 3-13 |
| Table 3-7 Comparison of direct impacts to threatened ecological communities from the EIS and the supplementary surveys..... | 3-15 |
| Table 3-8 Impacts to Lowland Rainforest patches | 3-16 |
| Table 3-9 Impacts to Littoral Rainforest patches | 3-18 |
| Table 3-10 Assessment for threatened ecological communities | 3-19 |
| Table 3-11 Comparison of impacts to threatened rainforest plants between the EIS and the supplementary surveys | 3-21 |
| Table 3-12 Assessment for threatened rainforest flora species | 3-23 |
| Table 3-13 Comparison of impacts on threatened flora populations | 3-26 |
| Table 3-14 Assessment for threatened flora populations | 3-27 |

| | |
|---|-------|
| Table 3-15 Revised assessments of significance for fauna | 3-34 |
| Table 3-16 Moderate to high risk cutting sites for impacts to groundwater dependent ecosystems..... | 3-40 |
| Table 3-17 Review of koala connectivity structures for important koala populations..... | 3-42 |
| Table 3-18 Review of connectivity structures in Sections 1-2 and 6-7 | 3-44 |
| Table 3-19: Mitigation measure for threatened species management plans | 3-46 |
| Table 3-20: MNES potentially significantly impacted by the project | 3-47 |
| Table 3-21: Revised potential risk at rock cutting locations | 3-59 |
| Table 3-22: Surface water sampling parameters | 3-69 |
| Table 3-23: Groundwater sampling parameters | 3-70 |
| Table 3-24: Guidelines for surface water and groundwater sampling parameters | 3-70 |
| Table 3-25: Surface water sampling parameters | 3-72 |
| Table 3-26: Groundwater sampling parameters | 3-73 |
| Table 3-27: Survey form feedback on the proposed extension to construction hours | 3-77 |
| Table 3-28: Environmental criteria assessment of surplus material sites..... | 3-82 |
| Table 3-29: Estimate of surplus material re-use in project..... | 3-90 |
| Table 3-30: Surplus materials – additional mitigation..... | 3-91 |
| Table 3-31: Vehicle rest areas relevant to the project..... | 3-92 |
| Table 3-32: Comparative assessment of ancillary facilities on standard condition criteria.... | 3-98 |
| Table 3-33: Results of field survey and sub-surface investigations | 3-111 |
| Table 3-34: Potential impacts to archaeological sites and Aboriginal cultural places near or within an ancillary facility | 3-116 |
| Table 3-35: Additional Aboriginal heritage mitigation measures | 3-119 |
| Table 3-36: Results of field survey of ancillary facilities | 3-126 |
| Table 3-37: Summary heritage significance of heritage items | 3-127 |
| Table 3-38: Summary heritage significance of heritage items | 3-128 |
| Table 3-39: Additional historical heritage management measures | 3-129 |
| Table 3-40: Results of biodiversity field investigations | 3-136 |
| Table 3-41: Additional biodiversity management measures | 3-141 |
| Table 3-42: Summary assessment of ancillary facilities | 3-146 |
| Table 4-1 Summary of design refinements | 4-1 |
| Table 4-2 Comparison of impacts between the EIS design and design refinement at Range Road | 4-16 |
| Table 4-3: Property impact schedule for interchange layout at Range Road (both EIS and design refinement) | 4-22 |
| Table 4-4: Range Road – additional mitigation..... | 4-23 |
| Table 4-5 Comparison of impacts at Luthers Road..... | 4-31 |
| Table 4-6 Fauna crossing structures in the design refinement area | 4-32 |
| Table 4-7: Luthers Road overpass – construction noise assessment for design refinement . | 4-33 |
| Table 4-8 Comparison of biodiversity impacts between the EIS design and the design refinement..... | 4-38 |

| | |
|--|-------|
| Table 4-9 Combined fauna crossing structures provided in the design refinement area | 4-40 |
| Table 4-10: Property impact schedule for EIS design at Firth Heinz Road, and refined design | 4-43 |
| Table 4-11: Firth Heinz Road – additional mitigation | 4-44 |
| Table 4-12 Comparison of impacts between the EIS design and the design refinement..... | 4-50 |
| Table 4-13: Rest area – estimated noise emissions | 4-54 |
| Table 4-14: Rest area – estimated noise levels at nearest dwelling | 4-54 |
| Table 4-15: Property impact schedule for EIS rest area and design refinement rest area.... | 4-55 |
| Table 4-16 Impacts of the Crowley Road design refinement | 4-59 |
| Table 4-17: Property impact schedule for EIS design and the design refinement at Crowley's Road | 4-63 |
| Table 4-18: Crowley's Road – additional mitigation | 4-63 |
| Table 4-19: Viewpoint 22, McIntyres Lane, Green Hill – foreground view..... | 4-68 |
| Table 4-20: Interchange at Maclean –construction noise levels– formation, clearing and mulching | 4-78 |
| Table 4-21: Interchange at Maclean –construction noise levels– earthworks..... | 4-78 |
| Table 4-22: Interchange at Maclean – construction noise levels – asphalting | 4-78 |
| Table 4-23: Interchange at Maclean – construction noise levels – bridge works | 4-79 |
| Table 4-24: Property impact schedule for interchange at Maclean..... | 4-80 |
| Table 4-25: Koala Drive – additional mitigation | 4-87 |
| Table 4-26: Viewpoint 34, Fischers Lane, Iluka (foreground view) | 4-96 |
| Table 4-27: EIS construction noise predictions for access at Carrols Lane | 4-99 |
| Table 4-28: Property impact schedule for Carrols Lane | 4-100 |
| Table 4-29 Comparison of impacts at the cutting at Mororo Road | 4-104 |
| Table 4-30: Vibration predictions (PPV) for the closest receiver to the Mororo Road cutting | 4-106 |
| Table 4-31: Mororo Road – additional mitigation | 4-107 |
| Table 4-32: Lang Hill activities and associated plant | 4-119 |
| Table 4-33: Lang Hill sensitive receivers | 4-120 |
| Table 4-34: Lang Hill noise modelling results..... | 4-122 |
| Table 4-35: Overpressure levels | 4-123 |
| Table 4-36: Vibration levels | 4-123 |
| Table 4-37: Lang Hill – revised mitigation | 4-124 |
| Table 4-38 Option comparison for rest area north of the Richmond River | 4-126 |
| Table 4-39 Comparison of impacts at rest area north of the Richmond River | 4-132 |
| Table 4-40: Comparison of property impacts for the rest area north of Richmond River..... | 4-134 |
| Table 4-41: Relocated rest area – revised mitigation | 4-135 |
| Table 4-42: Activities and associated plant | 4-140 |
| Table 4-43: Sensitive receivers located at Bagotville borrow sites | 4-141 |
| Table 4-44: Gibsons borrow site noise modelling results | 4-141 |
| Table 4-45: Eatons borrow site noise modelling results | 4-141 |
| Table 4-46: Cumulative impact of Gibsons and Eatons borrow site operations | 4-142 |

| | |
|--|-------|
| Table 4-47: Generic vibration impact associated with rock hammering/breaking | 4-142 |
| Table 4-48: Closest sensitive receiver overpressure prediction | 4-143 |
| Table 4-49: Closest sensitive receiver vibration prediction | 4-143 |
| Table 4-50: Borrow sites – additional mitigation | 4-144 |
| Table 4-51: West of Wardell sensitive receivers | 4-149 |
| Table 4-52: West of Wardell noise modelling results | 4-151 |
| Table 4-53: West of Wardell borrow site – additional mitigation..... | 4-152 |
| Table 4-54: Comparison of impacts on habitat for the Pink Underwing Moth | 4-158 |
| Table 4-55: Comparison of impacts on vegetation communities at Wardell interchange..... | 4-164 |
| Table 4-56: Comparison of impacts on threatened flora at Wardell interchange | 4-164 |
| Table 4-57: Summary of Aboriginal sites at the interchange at Wardell, survey and sub-surface testing undertaken | 4-167 |
| Table 4-58: Potential impacts on archaeological sites and Aboriginal cultural places from the design refinement | 4-168 |
| Table 4-59: Proposed hours construction noise summary – formation, clearing and mulching | 4-172 |
| Table 4-60: Proposed hours construction noise summary – earthworks..... | 4-172 |
| Table 4-61: Proposed hours construction noise summary – paving and asphalting | 4-172 |
| Table 4-62: Out-of-hours construction noise summary – formation, clearing and mulching.. | 4-173 |
| Table 4-63: Out-of-hours construction noise summary – earthworks | 4-173 |
| Table 4-64: Out-of-hours construction noise summary – paving and asphalting | 4-174 |
| Table 4-65: Operational noise impact for refined design of interchange at Wardell | 4-175 |
| Table 4-66: Property impacts for interchange at Wardell – EIS design and design refinement | 4-178 |
| Table 4-67: Interchange at Wardell – additional mitigation | 4-179 |
| Table 4-68: Ancillary facility sites | 4-182 |
| Table 4-69: Minor design refinements | 4-240 |
| Table 5-1: Environmental management measures for the project..... | 5-2 |